

# Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

## 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier(s): **BPI Touch of Tint**

Product codes: 42501, 42502, 42503, 42504, 42505, 42506, 42507, 42508, 42511.

1.2 Relevant Identified Uses of the substance or mixture and uses advised against:

Use: Marking the edges of plastic eyeglass lenses.

Uses advised against: No data

1.3 Details of the supplier of the safety data sheet:

Brain Power Inc.; 4470 S.W. 74<sup>th</sup> Ave.; Miami, Florida ; USA 33155.

1.4 Emergency Telephone Number:

Telephone: 0013052644465 Fax: 0013052641467

Information department: 001 305 264 4465

Emergency contact: 001 305 264 4465 (x364)

## 2. Hazards identification

2.1 Classification of the substance or mixture:

Highly flammable liquid and vapor (H225)

Causes serious eye irritation (H319)

May cause an allergic skin reaction (H317).

2.2 GHS Label elements (EC) 1272/2008:



Pictogram(s): “Flame” (GHS02)



“Exclamation Point” (GHS07)

Signal Word: Danger

Contains: Ethanol  
Acetone  
Rosin

Hazard Statement(s): Highly flammable liquid and vapor (H225)  
May cause an allergic skin reaction (H317)  
Causes serious eye irritation (H319).

Precautionary Statement(s): Keep away from heat/sparks/open flames/hot surfaces – No smoking (P 210). Use only in a well ventilated area (P 271). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P 280). Ground container (P240). Use explosion proof electrical equipment (P 241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P 243). ; Store in a well ventilated place; keep cool (P403 +P235). Avoid breathing mists / vapors (P261). Wash thoroughly after handling (P264). Use only in well ventilated areas (P271). If on skin, remove immediately all contaminated clothing; rinse skin with water; in case of fire, use CO2 for extinction (P303+P361+P353+P370+P378). If on skin, wash with plenty of soap and water (P302+P352). If irritation or rash occurs, get medical attention (P333+P313). Wash contaminated clothing before reuse (P363). Contaminated work clothing should not be allowed out of the workplace (P272). Wear protective gloves (latex) and eye protection

# Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

(splash proof chemical goggles) (P 280). If exposed or concerned, get medical advice/attention (P308+313). If in eyes, rinse cautiously with water for several minutes; remove contact lenses if present and easy to do; continue rinsing (P305+P351+P338). If eye irritation persists, get medical advice (P337+P313). Call a poison center or physician if you feel unwell (P312). In case of fire, use water fog, dry chemical, carbon dioxide, or alcohol type foam for extinction (P 370+P 378). Keep container tightly closed (P 233). Store locked up (P405). Dispose of contents/container in accordance with local / national / international regulations (P501).

2.3 Highly flammable.

---

## 3. Composition / information on ingredients

3.1 Substance: Not Applicable.

Chemical name:

CAS-Reg.No:

EC-No:

EINECS-No:

Further information:

3.2 Mixture:

Description: Mix of alcohol and acetone with a colored coating agent.

Chemical name: Ethanol

Synonym: Ethyl alcohol

CAS-Reg.No: 64-17-5

EC-No: 200-578-6

EINECS-No: 603-002-00-5

Hazard(s): Flammable liquid 2 (H225); Eye Irritant 2 (H319).

Concentration: 60%

Chemical name: Acetone

Synonym: Propanone

CAS-Reg.No: 67-64-1

EC-No: 200-662-2

EINECS-No: 606-001-00-8

Hazard(s): Flammable liquid 2 (H225); Eye Irritant 2 (H319); STOT SE 3 (H336).

Concentration: less than 22%

Chemical name: Rosin

Synonym: Colophony

CAS-Reg.No: 8050-09-7

EC-No: 232-475-7

EINECS-No: 650-015-00-7

Hazard(s): Skin Sensitizer 1 (H317).

Concentration: 11%

Ingredients at concentrations not known to be hazardous:

Content: 7%

Further information: Other ingredients not at concentrations known to be hazardous.

---

## 4. First-aid measures

4.1 Description of first aid measures

General Advice : Call a Poison Control Center or doctor if you feel unwell (P312). Consult a physician. Show this safety data sheet to the doctor. If exposed or concerned, get medical advice/attention (P308+313).

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

- Inhalation : Avoid breathing mists / vapors (P261). Move to fresh air.
- Skin contact : If on skin: wash with plenty of soap and water (P302+P352). Flush exposed area well with water for at least 15 minutes. If skin irritation or rash occurs: get medical advice (P333+P313). Wash contaminated clothing before reuse (P363).
- Eye contact : If in eyes, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Flush exposed area well with water for at least 15 minutes. If eye irritation persists get medical advice (P337+P313+P305+P351+P338).
- Ingestion : Call a poison center or physician if you feel unwell (P312). Show the container, safety data sheet or label.
- 4.2 Most important symptoms and effects, both acute and delayed  
The most important known symptoms and effects are described in the labeling (see section 2.2 and/or section 11).
- 4.3 Indications of any immediate medical attention and special treatment needed  
See section 2.2 .
- 

### 5. Fire-fighting measures

- 5.1 Extinguishing media: In case of fire, use water fog, dry chemical, carbon dioxide, or alcohol type foam for extinction (P 370+P 378).
- Unsuitable extinguishing media: No data
- 5.2 Special hazards arising from the substance or mixture:  
May cause allergic skin reaction (H317). Decomposes to oxides of carbon and nitrogen.
- 5.3 Advice for fire-fighters: Wear self-contained breathing apparatus with protective clothing to avoid personal contact.
- 

### 6. Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures : Avoid skin contact. Avoid breathing vapors (P261). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P280). For major spills wear a NIOSH or CEN approved respirator.
- 6.2 Environmental precautions : Soak up all spills with inert absorbent material. Place in closed container for proper waste disposal.
- 6.3 Methods and materials for containment and cleaning up:  
Soak up all spills with inert absorbent material. Place in closed container for proper waste disposal.
- 6.4 Reference to other sections : See Section 4 and 5.2
- 

### 7. Handling and storage

- 7.1 Precautions for Safe Handling: Use only in a well ventilated area (P 271). Wear protective gloves (latex) and eye protection (splash proof chemical goggles) (P 280). Avoid breathing vapors (P261). Wash thoroughly after handling (P264). Keep away from heat/sparks/open flames/hot surfaces – No smoking (P 210). Ground container (P240). Use explosion proof electrical equipment (P 241). Use only non-sparking tools (P242). Take precautionary measures against static discharge (P 243). Avoid eye and skin contact.
- 7.2 Conditions for Safe Storage, including any incompatibilities:  
Stable on storage under normal conditions. Avoid oxidizing and reducing agents. Store in a well ventilated place; Keep container tightly closed; Keep cool (P403+P233+P 235).

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

7.3 Specific End Use: Marking the edges of plastic eyeglass lenses.

---

### 8. Exposure controls and personal protection

8.1 Control parameters: OSHA TWA 1,900 mg/m<sup>3</sup> for ethanol component. Maintain air concentration below 200ppm.

8.2 Exposure control: Handle in accordance with good industrial hygiene and safety practices. Avoid all personal contact. Wear appropriate safety equipment. Wash hands before breaks and at the end of workday.

Personal protective equipment	:	
Respiratory protection	:	Where risk assessment shows air purifying respirators are appropriate, use a NIOSH or CEN approved respirator for organic chemicals. Ventilation: Local mechanical exhaust is recommended.
Hand protection	:	Wear protective gloves (P280). Wear suitable impervious gloves (such as disposable latex).
Eye / face protection	:	Wear eye protection (P280). Chemical resistant safety goggles are strongly recommended.
Skin protection	:	Protective lab coat recommended. Wear suitable protective clothing and gloves.

---

### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance:

Color: Colored liquid

Odor: Alcohol/fragrant odor

Changes in physical state

Boiling point/Boiling range (°C) : > 65°C (149F)

Melting point/Freezing temperature (°C): no data available

Flash point (°C) : >12°C (54F) (PMCC)

Ignition temperature (°C) : no data available

Autoignition : no data available

Explosion hazard : no data available

Flammability/Explosion limits (Vol.-%) : lower: N/D upper: N/D

Vapour pressure (mbar) : no data available

Vapor density (g/cm<sup>3</sup>) : no data available

Bulk density (kg/m<sup>3</sup>) : ~800

Solubility in water : Miscible

Solubility in other solvents : no data available

pH-value : no data available

Viscosity : no data available

9.2 Other safety information : no data available

---

### 10. Stability and reactivity

10.1 Reactivity : Hazardous polymerization will not occur.

10.2 Chemical Stability : Stable on storage under normal conditions.

10.3 Possibility of Hazardous Reactions : None Known

10.4 Conditions to avoid : Avoid ignition sources.

10.5 Incompatible materials : Avoid oxidizing and reducing agents.

10.6 Hazardous decomposition products : Decomposes to oxides of carbon and nitrogen.

---

### 11. Toxicological information

11.1 Information on toxicological effects:

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

Acute toxicity:

May be harmful if swallowed.

Specific symptoms in animal experiments:

Oral LD50 7.06 g/kg (rat) for ethanol component.

Irritation effects:

May cause slight irritation by inhalation. Causes serious eye irritation (H319). If eye irritation persists, get medical advice (P337+P313). If skin irritation or rash occurs: get medical advice (P333+P313).

Sensitization:

May cause an allergic skin reaction (H317). If skin irritation or rash occurs: get medical advice (P333+P313). Overexposure may cause redness and irritation.

Subacute to chronic toxicity:

No data.

Carcinogenicity, mutagenicity, teratogenicity:

NTP? No

IARC Monographs? No

OSHA Regulated? No

11.2 Other information:

Overexposure may cause redness and irritation.

Sensitization may occur with possible allergic reaction.

---

## 12. Ecological Information

12.1 Toxicity:

LC50 - Pimephales promelas (fathead minnow) - 14.2 g/l - 96 hr for ethanol component.

12.2 Persistence and Degradability:

95 % - Readily biodegradable for ethanol component.

12.3 Bioaccumulative Potential:

no data available

12.4 Mobility in Soil:

no data available

12.5 Results of PBT and vPvP Assessment:

no data available

12.6 Other Adverse Effects :

no data available

---

## 13. Disposal considerations

13.1 Waste Treatment Methods:

Dispose of contents/container in accordance with Local / national / international regulations (P501).

---

## 14. Transport Information

14.1 UN Number:

1987

14.2 UN Proper Shipping Name:

Alcohols, n.o.s.

14.3 Transport Hazard Class(es):

3

14.4 Packaging Group:

II

14.5 Environmental Hazards:

None.

14.6 Special precautions for user:

None other than listed in sections 7 and 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

See above

14.8 Information for each of the UN Model Regulations:

See above

IMDG/IMO:

See above

ADR:

See above

Air transport

ICAO/IATA-DGR

Class: 3

UN/ID-No 1987

PG: II

Technical name of material: Alcohols, n.o.s.

Remarks: Can be shipped limited quantity.

## Brain Power Inc.

Safety Data Sheet according to EC 1907/2006, 1272/2008, 830/2015

OSHA Hazard Communication Standard 29 CFR 1910.1200. GHS Rev

Date of Issue: 27 March, 2020

Additional information: (US) DOT: See above – flammable liquid

---

### 15. Regulatory Information

15.1 Safety, Health and Environmental Regulations / Legislation Specific for the Substance or Mixture:  
EC 1907/2006, 1272/2008, 830/2015

15.2 Chemical Safety Assessment : Danger! ; “Flame” (GHS02). “Exclamation Point” (GHS07).

Contains: Ethanol (CAS. No. 64-17-5; EC No. 200-578-6)  
Acetone (CAS No. 67-64-1; EC No. 200-662-2)  
Rosin (CAS No. 8050-09-7; EC No. 232-475-7)

Hazard statement: See section 2

Precautions: See section 2

15.3 Additional information:

TSCA listed ingredients. EC listed ingredients.

The following components are subject to reporting levels established by SARA Title III section 313:  
Methanol.

Warning: This product contains a chemical (less than 3% Methanol) known to the State of California to cause birth defects or other reproductive harm.

German Water Hazard Class WGK 1.

---

### 16. Other Information

**NFPA Codes:** H: 1; F: 4; R: 0.

Most Recent Revision: 27 March, 2020.

---

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. The safety data sheet only describes the products in aspect to their safety requirements. Recipients of our product must take responsibility for observing existing laws and regulations.